




※ The heat sink of back side has different electric potential depending on the product.
 Confirm specifications of each product.
 Do not use it as the function of electrode.

No. PP008-A-P-SD-2.0


TITLE	HSNT-8-A-PKG Dimensions
No.	PP008-A-P-SD-2.0
ANGLE	
UNIT	mm
ABLIC Inc.	




Feed direction

No. PP008-A-C-SD-1.0

TITLE	HSNT-8-A-Carrier Tape
No.	PP008-A-C-SD-1.0
ANGLE	
UNIT	mm
ABLIC Inc.	




Enlarged drawing in the central part



No. PP008-A-R-SD-2.0


TITLE	HSNT-8-A-Reel		
No.	PP008-A-R-SD-2.0		
ANGLE		QTY.	5,000
UNIT	mm		
ABLIC Inc.			



- (1) to (8) : Product code
- (9) : Assembly code
- (10) : Year of assembly
- (11) : Month of assembly
- (12) to (14): Lot No. code
- (A) : 1 Pin mark

No. PP008-A-M-SD-1.0

TITLE	HSNT-8-A-Markings
No.	PP008-A-M-SD-1.0
ANGLE	
UNIT	
ABLIC Inc.	



(1) to (5) : Product code

(6) : Assembly code

(7) : Year of assembly


(8) : Month of assembly

(9) to (12) : Lot No. code

(A) : 1 Pin mark

No. PP008-A-M-S1-1.0

TITLE	HSNT-8-A-Markings
No.	PP008-A-M-S1-1.0
ANGLE	
UNIT	
ABLIC Inc.	



No. PP008-A-L-SD-1.0

TITLE	HSNT-8-A -Land Recommendation
No.	PP008-A-L-SD-1.0
ANGLE	
UNIT	mm
ABLIC Inc.	