





\ast The heat sink of back side has different electric potential depending on the product.
 Confirm specifications of each product.
 Do not use it as the function of electrode.

No. PP008-A-P-SD-2.0


TITLE	HSNT-8-A-PKG Dimensions
No.	PP008-A-P-SD-2.0
ANGLE	
UNIT	mm
ABLIC Inc.	




Feed direction

No. PP008-A-C-SD-1.0

TITLE	HSNT-8-A-Carrier Tape
No.	PP008-A-C-SD-1.0
ANGLE	
UNIT	mm
ABLIC Inc.	




Enlarged drawing in the central part



No. PP008-A-R-SD-2.0

TITLE	HSNT-8-A-Reel		
No.	PP008-A-R-SD-2.0		
ANGLE		QTY.	5,000
UNIT	mm		
ABLIC Inc.			




- (1) to (8) : Product code
- (9) : Assembly code
- (10) : Year of assembly
- (11) : Month of assembly
- (12) to (14): Lot No. code
- (A) : 1 Pin mark

No. PP008-A-M-SD-1.0

TITLE	HSNT-8-A-Markings
No.	PP008-A-M-SD-1.0
ANGLE	
UNIT	
ABLIC Inc.	

8

5



1

4

(1) to (5) : Product code

(6) : Assembly code

(7) : Year of assembly


(8) : Month of assembly

(9) to (12) : Lot No. code

(A) : 1 Pin mark

No. PP008-A-M-S1-1.0

TITLE	HSNT-8-A-Markings
No.	PP008-A-M-S1-1.0
ANGLE	
UNIT	
ABLIC Inc.	



No. PP008-A-L-SD-1.0

TITLE	HSNT-8-A -Land Recommendation
No.	PP008-A-L-SD-1.0
ANGLE	
UNIT	mm
ABLIC Inc.	